



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBW6500X01611-W142E-3T-


3

Job Sheet 198296



Part No: RBW6500X01611-W142E-3T-3 **Job Qty:** 1 pcs

Part Name: Cross Bar



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 7/24/19

Job Tracking No:

Due Date: 9/13/19

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG RBW6500X01611-W142E-3T REV 4 IPP Rev. A 19.04.05 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	NV5000 - 1	1 pcs	9/13/19	9/13/19	1.00	0.25	NV5000 - 1		AL.A. / LT. kt 19-08-07. 19/8/5
							NV5000 - 2		
110	QC 2	1 pcs	9/13/19	9/13/19	0.00	0.00	QC 2 - 1		
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		
							QC 2 - 50		
							QC 2 - 51		
							QC 2 - 52		
							QC 2 - 57		
							QC 2 - 62		
							QC 2 - 63		
							QC 2 - 8		
							QC 2 - 66		
							QC 2 - 64		



Container No: S203394



Part: RBW6500X01611-W142E-3T-3

Job No: 198296

Serial No/Batch: S203394

Revision: 4

Inspector:

Exp Date:

Instructions:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 06/07/19

120 QC 8	1 pcs	9/13/19	0.00 0.00	QC 2 - 65	
				QC 2 - 5	
				QC 2 - 71	
				QC 2 - 73	
				QC 2 - 69	
				QC 8 - 12	
				QC 8 - 14	
				QC 8 - 17	
				QC 8 - 20	
				QC 8 - 25	
				QC 8 - 3	
				QC 8 - 32	
				QC 8 - 33	
				QC 8 - 35	
				QC 8 - 39	
				QC 8 - 4	
				QC 8 - 44	
				QC 8 - 45	
				QC 8 - 49	mml 18/08/07
				QC 8 - 58	
				QC 8 - 8	
				QC 8 - 9	
				QC 8 - 68	
				QC 8 - 67	
				QC 8 - 1 (A)	
				QC 8 - 47	
				QC 8 - 40	
				QC 8 - 52	
				QC 8 - 23	
				QC 8 - 57	
125 Outsource - 12 - Black Oxide	1 pcs	9/13/19		GRO002-VC	2019-08-09
126 Packaging 2-1 - Receive - B4B	1 pcs	9/13/19	0.00 0.00	Packaging 2 - 1 - B4B	
				Packaging 2 - 2 - B4B	
				Packaging 2 - 3 - B4B	
				Packaging 2 - 5 - B4B	
				Packaging 2 - 4 - B4B	
				Packaging 2 - 6 - B4B	
				Packaging 2 - 7 - B4B	
				Packaging 2 - 8 - B4B	
				Packaging 2 - 9 - B4B	
				Packaging 2 - 10 - B4B	
127 QC 6	1 pcs	9/13/19	0.00 0.00	QC 6 - 9	
				QC 6 - 68	
				QC 6 - 61	
				QC 6 - 40	
				QC 6 - 81	
130 Packaging 3-1 - Stock - B4B	1 pcs	9/13/19	0.00 0.00	Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
140 QC 21 - SA	1 pcs	9/13/19	0.00 0.00	QC 21 - SA - 21	
				QC 21 - SA - 70	
				QC 21 - SA - 53	

Part Op 100 - 1-Machine as per folio FC _____ FOLIO REV: N/A DWG REV: 4 2-Deburr

Descriptions: 110 - QC2- Inspect parts off machine FAI/FAIB

120 - Engrave T/N and/or P/N using MARKTRONIC engraver as per DWG.

125 - Issue P/O: 44231 -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required

- 126 - (Receive & Inspect for Damage & Mat'l Certs) C of C required.
 127 - QC6- All purchased or subcontracted products
 130 - Identify as per dwg & Stock Location: _____
 140 - QC21- Final Inspection - Work Order Release

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M1018B0.750X0.750	1010-1025 Steel Bar 750 X 750 1.00 x 1.00	.4200 ft (.42 ea)	100-NV5000 - 1	S048661 M1018B1.000 x 1.000

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-NV5000 - 1	M1018B0.750X0.750 1.0 x 1.0 9-89	0	9	0



Part Specifications

Specifications could not be found.



Plex 7/24/19 2:27 PM Dart.lajeunesse.marie

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	14-0215	-3 CH'D ENGRAVE NOTE WAS "RBW6500X01611-W142E-3T" IS T/N.	11/12/14	RJC	JAG



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 198296 M5
190725



(-3)
CROSS BAR

DART AEROSPACE	
TITLE OIL SEAL HOUSING REMOVAL PULLER	
DWG NO. RBW6500X01611-W142E-3T-3	REV 4
MAT'L 1018/1020	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH BLACK OXIDE
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE 1:1	DATE 12/31/2008 SHEET 2 OF 8

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044231



Supplier: GRO002-VC
Group Altech
2455 Halpern
St Laurent
QC
H4S 1N9 Canada
Phone: 514-335-3666
Fax: 514-335-3868

Attention: Grenon, Sylvie

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: POHB044231

PO Date: 8/9/19

Due Date: 8/16/19

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Guerin, Kimberley
Phone: 613-632-5200 Ext: 298
kguerin@dartaero.com

Via: Ground

Pynt Terms: Net 60

Freight Terms:

Special Comments:

E-MAILED
2019-08-13

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	194605	RB6798292	Wrench Ground Idle Screw Adjusting (Hinged) -Issue P/O; -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 1018/Stainless Steel filler rod -Certificate of Conformity is required	Firmed	-	8/16/19	3 pcs	0 pcs	3 pcs	\$10.5657/pcs	\$31.70

3 X AUG 19 2019

5203277



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044231



Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
2	196553	RBT18503	Bullet for Restraint Spring Assembly -Issue P/O: _____ -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required	Firmed	-	8/16/19	20 pcs	0 pcs	20 pcs	\$1.95/pcs	\$39.00
3	198296	RBW6500X01611-W142E-3T-3	Cross Bar -Issue P/O: _____ -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required	Firmed	-	8/16/19	6 pcs	0 pcs	6 pcs	\$1.50/pcs	\$9.00

20 X

AUG 15 2019

6 X

AUG 19 2019

S203394



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044231



Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
4	197378	RB6795985	Wrench-Power Turbine Shaft Ball Bearing Ret Nut -Issue P/O: -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL- PRF-16173 Grade 3 Class 1 or MIL-c- 81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required	Firmed	-	8/16/19	4 pcs	0 pcs	4 pcs	\$15.1657/pcs	\$60.66
5	197515	RBE350A93- 3312-03-1	Receiver (Outside Processing - Black Oxide) -Issue P/O to GROUPE ALTECH; PO -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL- PRF-16173 Grade 3 Class 1 or MIL-c- 81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; -Certificate of Conformity is required	Firmed	-	8/16/19	10 pcs	0 pcs	10 pcs	\$3.35/pcs	\$33.50
6	189139	RB23007638-1	Wrench Outside Processing - Black Oxide -Issue P/O -Black oxide finish, MIL-C-13924C Class 1 -Certificate of Conformity is required	Firmed	-	8/16/19	12 pcs	0 pcs	12 pcs	\$13.9657/pcs	\$167.59
Grand Total:										\$341.45	



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044231



Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance

A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 8/13/19 9:36 AM Dart.Guerin.Kimberley



Certificat de Conformité / Certificate of Compliance

(020663-2)

2455, Rue Falpern | Saint-Laurent | Québec | H4S 1N9
 Tel: 514-335-3666 Fax: 514-335-3868
 www.groupaltech.com

Bon de Livraison / Packing Slip

020663 - 2

Livré à / Ship to

DART AEROSPACE LTD
 1270 ABERDEEN STREET
 HAWKESBURY, ON, K6A1K7
 CANADA
 Tel.: 613-632-5200 Fax.:

Client / Customer:

DART AEROSPACE LTD
 1270 ABERDEEN STREET
 HAWKESBURY, ON, K6A1K7
 CANADA
 BUYER:

Date expédition Ship date		Créé Par Generated By	Transport / No de Compte Courier / Acc. No.	Bon de commande Client Customer Purchase Order No.				
16-Aug-2019		SPARTAKOS BOUNTOURIS		POHB044231				
#Ligne Line#	No. de Série / # Pièce Part Number / Line Item Details Job # / Ref #	Description pièce(s)	CATG. U/M	Comm. /Ordered	Exp/ Shipped	Qté NC/ NC Qty	Qté Scrap/	À venir/ Back Order
1	RB6798292 ✓ Rev.	RB6798292 SANDBLAST OXIDE-BLK & OIL [OXIDE BLACK AND OIL] APPLY THIN LAYER OF OIL/CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL -C-81309 TYPE 3 OR MILL-C23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS	OXIDE-BLACK CH	3	3 ✓	0	0	0
3	RBW6500X01611-W142E-3T-3 ✓ Rev.	RBW6500X01611-W142E-3T-3 OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY THIN LAYER OF OIL/CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL -C-81309 TYPE 3 OR MILL-C23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS	OXIDE-BLACK CH	6	6 ✓	0	0	0
4	RB6795958 ✓ Rev.	RB6795958 SCOTCH WHITE OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY THIN LAYER OF OIL/CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL -C-81309 TYPE 3 OR MILL-C23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS	OXIDE-BLACK CH	4	4 ✓	0	0	0
5	RBE350A93-3312-03-1 ✓ Rev.	RBE350A93-3312-03-1 OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY THIN LAYER OF OIL/CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL -C-81309 TYPE 3 OR MILL-C23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS	BLACK-OXIDE CH	10	10 ✓	0	0	0
6	RB23007632-1 ✓ Rev.	RB23007632-1 SCOTCH WHITE OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1	OXIDE-BLACK CH	12	12 ✓	0	0	0
7	SANDBLAST ✓ Rev.	SANDBLAST SANDBLAST	SANDBLAST MIN-CHG	1	1	0	0	0

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9
Tel: 514-335-3666 Fax: 514-335-3868
www.groupealtech.com

020663 - 2

Tel.: 613-632-5200 Fax:

BUYER:

Notes Additionnelles / Additional Notes

Réçu par
Received By

Page 2 of 2